


# F60/27 CHANNEL



## PRODUCT CERTIFICATIONS




## DESCRIPTION



High quality cold formed profiles, made of certified galvanized steel sheet.

## PRODUCT RANGE



## SCOPE OF APPLICATION

- Horizontal component for gypsum board suspended false ceilings with double structure.

PROFILE	th (mm)	DIMENSIONS			CERTIFICATES			Units/ pallet
		a	b	c	CE	NF	N	
F60/27	0.6	60	27	27	●		●	400

Standard length: 3,000 mm.  
Other gauges and lengths on demand.

## SYSTEMS AND ACCESSORIES

- Continuous suspended ceilings with double structure: F60/27 profile clipped to the Kingspan STEC 47/60 profile, suspended from the structural slab with rods.
- Complimentary perimeter profiles for false ceilings: L-angle range or U-channel range by Kingspan.

## MANUFACTURING STANDARDS

- AENOR N mark according to the UNE-EN 14195:2005 RP35.12 standard.
- CE marking according to EN 14195:2005.

## BENEFITS

- Clip fixing system, with curved lips to simplify assembly and ensure effective joining between profiles.
- Dimpled/ribbed surface to facilitate the screw fixing of the boards and web and flanges stiffeners that increase the profile resistance.
- Quality certified steel sheet rolled by the leading European steel company.

## FIRE REACTION AND ACOUSTICS

- Fire reaction: Euroclass A1 (non combustible).
- Acoustic and fire reaction of Kingspan systems have been accredited by laboratory testing.

## TECHNICAL FEATURES

- Steel grade DX51 D (according to EN 10346 standard).
- Galvanisation type Z140 (140 g/m<sup>2</sup>).

## STORAGE CONDITIONS

- Store on flat and sheltered surfaces.
- Do not expose to rain or direct sunlight.

Teczone Española S.A.U. reserves the right to modify the contents of this document without any prior warning. Every effort has been made to ensure that the content of this publication is accurate, but Teczone Española S.A.U. and its affiliated companies are not responsible for errors or information that may be misleading. Suggestions regarding the final use or application of the products or work methods are merely informative and Teczone Española S.A.U. and its affiliates do not accept any responsibility in this regard.