




# INDOOR RANGE FOR HIGH STRENGTH BOARDS

## DESCRIPTION



High quality cold formed profiles, made of certified galvanized steel sheet.

## SCOPE OF APPLICATION

- Supporting structures for partitioning systems, lining and false ceilings made along with high strength and high durability boards (cemented boards, fiber cement boards, fibrosilicate boards, etc..).

## BENEFITS

- Profiles made of structural steel with guaranteed minimum yield strength.
- Dimpled/ribbed surface to facilitate the screwing of boards and large service cut-outs to allow the pass-through of the wiring and pipe lines.
- Quality certified steel sheet rolled by the leading European steel company.

## TECHNICAL FEATURES

- Steel grade DX51D or higher.
- Z140 coating
- Different steel grades and/or galvanisation on demand.

## PRODUCT CERTIFICATIONS

- Raw material certificate of origin type 2.2.

## MANUFACTURING STANDARDS

- EN 14195:2005.

## FIRE REACTION


- Reaction to fire: Euroclass A1 (non combustible).

## STORAGE CONDITIONS

- Store on flat and sheltered surfaces.
- Do not expose to rain or direct sunlight.

## PRODUCT RANGE

### STUDS




PROFILES	th (mm)	DIMENSIONS			Units/ pallet
		a	b	c	
Stud 50/50	0.6	48.5	48	50	400
Stud 75/50	0.6	73.5	48	50	280
Stud 100/50	0.6	98.5	48	50	200
Stud 125/50	0.6	123.5	48	50	160
Stud 150/50	0.6	148.5	48	50	140

Standard length: 3,000 mm.

Other gauges and lengths on demand.

### CHANNELS



PROFILE	th (mm)	DIMENSIONS			Units/ pallet
		a	b	c	
Channel 50/40	0.55	50	40	40	350
Channel 75/40	0.55	75	40	40	200
Channel 100/40	0.55	100	40	40	200
Channel 125/40	0.55	125	40	40	160
Channel 150/40	0.55	150	40	40	128

Standard length: 3,000 mm.

Other gauges and lengths on demand.

Teczone Española S.A.U. reserves the right to modify the contents of this document without any prior warning. Every effort has been made to ensure that the content of this publication is accurate, but Teczone Española S.A.U. and its affiliated companies are not responsible for errors or information that may be misleading. Suggestions regarding the final use or application of the products or work methods are merely informative and Teczone Española S.A.U. and its affiliates do not accept any responsibility in this regard.